

DW-ECO 304 / TRAMOS RECTOS



Ø	MÓDULO RECTO 1.000 MM	MÓDULO RECTO 500 MM	MÓDULO RECTO 250 MM	MÓDULO REGULABLE 370-550 MM	MÓDULO REGULABLE 550-900 MM
80/130	70	50	35	70	103
100/150	72	52	36	72	108
130/180	74	53	37	74	111
150/200	91	59	42	83	124
180/230	103	70	49	97	135
200/250	121	80	56	153	112
250/300	153	97	70	139	189
300/350	189	126	91	174	270
350/400	237	158	121	226	339
400/450	263	187	147	271	389
450/500	284	195	161	294	402
500/550	305	201	177	310	420
550/600	347	261	200	327	433
600/650	389	284	231	368	531

DW-ECO 304 / DESVIACIONES



Ø	CODO 15°	CODO 30°	CODO 45°	CODO 90°	TE 135°	TE 90°
80/130	50	50	50	72	147	109
100/150	52	52	52	74	154	113
130/180	53	53	53	76	161	116
150/200	59	59	59	86	175	126
180/230	70	70	70	99	190	149
200/250	80	80	80	115	220	174
250/300	97	97	97	143	350	218
300/350	118	118	118	186	398	283
350/400	161	161	161	233	481	353
400/450	202	202	202		656	440
450/500	292	292	292		732	499
500/550	326	326	326		750	590
550/600	457	457	457		845	641
600/650	540	540	540		980	788

DW-ECO 304 / INSPECCIÓN Y LIMPIEZA



Ø	MODULO INSPECCIÓN	MODULO TEMPERATURA HUMOS ILUSTRACIÓN	MODULO INSPECCIÓN PUERTA 40PA	MODULO INSPECCIÓN PUERTA 200PA	COLECTOR HOLLIN	COLECTOR HOLLIN CON DESAGUE	COLECTOR HOLLIN CON DESAGUE AISLADO
80/130	59	245	206	245	18	24	
100/150	62	256	215	256	19	25	
130/180	63	263	221	263	19	25	
150/200	71	293	247	293	23	28	
180/230	83	336	258	310	26	32	
200/250	96	363	305	321	30	38	
250/300	119	415	332	357	37	47	
300/350	155	441	368	373	48	60	
350/400	194	494	397	431	74	100	
400/450	242	520	420	473			136
450/500	264	567	458	516			159
500/550	287	618	499	562			195
550/600	300	662	525	588			234
600/650	313	674	544	613			243

DW-ECO 304 / TERMINALES




Ø	TERMINAL CÓNICO	TERMINAL ANTI-LLUVIA	TERMINAL ANTI-VIENTO	TERMINAL HORIZONTAL CON REJILLA	TERMINAL VERTICAL CON REJILLA	TERMINAL GAS
80/130	32	45	65	40	66	
100/150	34	47	68	43	69	
130/180	34	48	69	43	70	225
150/200	38	54	77	48	77	280
180/230	45	62	90	56	92	323
200/250	52	72	103	66	105	342
250/300	65	90	130	81	126	391
300/350	83	117	167	104	174	509
350/400	103	145	192	140	225	567
400/450	130	181	216	163	270	684
450/500	141			242	293	862
500/550	154			252	311	965
550/600	162			357		1070
600/650	167			397		1114

DW-ECO 304 / REGULACION Y CONEXIONES



Ø	REGULADOR DE TIRO	ESTABILIZADOR DE TIRO (ADAPTADOR + CLAPETA)	AMPLIACIÓN (1 DIÁMETRO)	REDUCCION (1 DIÁMETRO)	ADAPTADOR SIMPLE A DOBLE	ADAPTADOR DOBLE A SIMPLE
80/130	103	122	46	46	24	24
100/150	108	123	52	52	25	25
130/180	111	123	59	59	25	25
150/200	124	158	75	75	28	28
180/230	144	174	92	92	34	34
200/250	167	198	115	115	39	39
250/300	208	234	151	151	48	48
300/350	270	257	174	174	62	62
350/400	339	290	207	207	78	78
400/450	423	337	254	254	97	97
450/500	460	429	346	346	113	113
500/550	502	474	392	392	116	116
550/600	532	498	415	415	129	129
600/650	548	590	507	507	139	139

DW-ECO 304 / PROTECCIONES



Ø	PASAMUROS	CUBREAGUAS 0°-5°	CUBREAGUAS 5°-25°	CUBREAGUAS 25°-45°	COLLARÍN ANTITORMENTA EMBELLECEDOR	JUNTA DE SILICONA
80/130	21	112	112	195	15	3
100/150	22	113	113	197	18	3
130/180	28	127	127	207	22	3
150/200	28	141	141	210	25	3
180/230	34	146	146	216	28	4
200/250	35	160	160	219	32	5
250/300	45	177	177	229	38	7
300/350	50	196	196	234	41	8
350/400	66	215	215	248	45	9
400/450	85	233	233	296	63	10
450/500	111	266	266	338	82	11
500/550	121	294	294	377	107	12
550/600	133	331	331	423	116	14
600/650	148	372	372	475	127	16

DW-ECO 304 / FIJACIONES



Ø	SOPORTE DE CARGA REGULABLE	ABRAZADERA DE UNIÓN	ABRAZADERA FIJACIÓN PARED REGULABLE 50-75MM	ABRAZADERA FIJACIÓN PARED FIJA	ABRAZADERA FIJACIÓN PARED REGULABLE 50-150MM	ABRAZADERA FIJACIÓN PARED REGULABLE 150-250MM	ABRAZADERA PARA AMARRE POR TORNILLO	ABRAZADERA VIENTOS	ABRAZADERA DE SOPORTE	SOPORTE DE TECHO
80/130	89	4	20		58	63		7		18
100/150	93	5	21		61	66		8		22
130/180	95	6	21		63	69		11	79	27
150/200	107	7	24		71	78		13	79	30
180/230	124	8	28		86	92		14	89	35
200/250	143	11	33		99	107		15	100	39
250/300	179	16	34		118	131	35	18	110	46
300/350	233	18	37		147	162	40	20	121	50
350/400	290	23	47		184	200	46	22	147	56
400/450	362	26	53		221	250	52	30	175	78
450/500	394	29		68	240	272	57	40	192	101
500/550	430	31		84	263	297	63	53	219	131
550/600	494	36		100	294	336	69	57	248	143
600/650	550	39		110	335	380	75	63	268	155